Acetic acid glacial 99-100% a.r.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 10/10/2023 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Substance
Trade name	:	Acetic acid glacial 99-100% a.r.
EC Index-No.	:	607-002-00-6
EC-No.	:	200-580-7
CAS-No.	:	64-19-7
REACH registration No.	:	01-2119475328-30
Product code	:	CL00.0116
Type of product	:	Pure substance
Formula	:	C2H4O2
Synonyms	:	acetic acid / acetic acid, glacial / Aci-Gel / Aci-Jel / alcohol of vinegar / carboxylic acid C2 / E260 / ethanoic acid / ethylic acid / FEMA No 2006 / fema number 2006 / glacial acetic acid / methanecarboxylic acid / pyroligneous acid / vinegar / vinegar acid / vosol
BIG No	:	14329

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemical

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier
Chem-Lab nv
Industriezone 'De arend 2'
Zedelgem – Belgium
Belgium
T +32 50 288320
info@chem-lab.be - https://www.chem-lab.be

1.4. Emergency telephone number

Emergency number : +32 50 28 83 20

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Militaire Reine Astrid	Rue Bruyn 1 1120 Brussels	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318

Full text of H- and EUH-statements: see section 16

Specific concentration limits:

(10 ≤C < 25)	Skin Irrit. 2, H315
(10 ≤C < 25)	Eye Irrit. 2, H319
(25 ≤C < 90)	Skin Corr. 1B, H314
(90 ≤C < 100)	Skin Corr. 1A, H314

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS02 GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetic acid glacial 99-100% a.r.	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	100	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Acetic acid glacial 99-100% a.r.	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328-30	(10 ≤C < 25) Skin Irrit. 2, H315 (10 ≤C < 25) Eye Irrit. 2, H319 (25 ≤C < 90) Skin Corr. 1B, H314 (90 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

First-aid measures after inhalation : Remove victim into fresh air. Immediately consult a doctor/medical service.

First-aid measures after skin contact : If possible, wipe up/dry remove chemical. Then rinse/shower immediately for 30 minutes with (lukewarm) water. Cut clothing; never remove burnt clothing from the wound. Do not give any pain medication. Consult a doctor/medical service.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

First-aid measures after ingestion : Rinse mouth with water. Immediately consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Dry/sore throat. Coughing. Respiratory difficulties. EXPOSURE TO HIGH CONCENTRATIONS: Corrosion of the upper respiratory tract. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of lung oedema. Risk of pneumonia.

Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Corrosion of the eye tissue. Blindness.

Symptoms/effects after ingestion : Diarrhoea. Enlargement/affection of the liver. Burns to the gastric/intestinal mucosa. Possible esophageal perforation. Decreased renal function. Shock. Low arterial pressure. Blood in vomit.

Chronic symptoms : Affection/discolouration of the teeth.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Quick-acting ABC powder extinguisher. Quick-acting BC powder extinguisher. Quick-acting class B foam extinguisher. Quick-acting CO2 extinguisher. Class B foam (alcohol-resistant). Water spray if puddle cannot expand.

Unsuitable extinguishing media : Water (quick-acting extinguisher, reel); risk of puddle expansion. Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Fire hazard : DIRECT FIRE HAZARD: Flammable liquid and vapour. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD: May be ignited by sparks.

Explosion hazard : DIRECT EXPLOSION HAZARD: Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD: May be ignited by sparks.

Hazardous decomposition products in case of fire : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Gas-tight suit (EN 943). Corrosion-proof suit (EN 14605).

Emergency procedures	:	Keep upwind. Mark the danger area. Consider evacuation. Close doors and windows of adjacent premises. Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Keep containers closed. Corrosion-proof appliances. Wash contaminated clothes.

6.1.2. For emergency responders

Protective equipment	:	Self-contained breathing apparatus (EN 136 + EN 137).

6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment	:	Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. Try to reduce evaporation. Measure the concentration of the explosive gas-air mixture. Dilute combustible/toxic gases/vapours with water spray. Take account of toxic/corrosive precipitation water. Provide equipment/receptacles with earthing. Do not use compressed air for pumping over spills.
Methods for cleaning up	:	Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Damaged/cooled tanks must be emptied. Do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Measure the concentration in the air regularly. Work under local exhaust/ventilation. Exhaust gas must be neutralised. Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep container tightly closed. Use corrosionproof equipment. Handle uncleaned empty containers as full ones. Do not discharge the waste into the drain. Do not use compressed air for pumping over.
Hygiene measures	:	Observe very strict hygiene - avoid contact.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature	:	> 17 °C
Heat and ignition sources	:	KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Information on mixed storage	:	KEEP SUBSTANCE AWAY FROM: combustible materials. oxidizing agents. (strong) bases. metals. alcohols. amines. water/moisture.
Storage area	:	Meet the legal requirements. Detached building. Store in a dry area. Keep container in a well-ventilated place. Fireproof storeroom. Store only in a limited quantity. Provide for a tub to collect spills. Provide the tank with earthing.
Special rules on packaging	:	SPECIAL REQUIREMENTS: closing. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	:	SUITABLE MATERIAL: stainless steel. aluminium. LDPE (Low Density Poly Ethylene). HDPE. glass. MATERIAL TO AVOID: iron. zinc. lead. copper. bronze. natural rubber.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Acetic acid glacial 99-100% a.r. (64-19-7)	
Belgium - Occupational Exposure Limits	
OEL TWA	25 mg/m³
OEL TWA [ppm]	10 ppm
OEL STEL	38 mg/m³
OEL STEL [ppm]	15 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Acetic acid glacial 99-100% a.r. (64-19-7)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	25 mg/m³
Long-term - local effects, inhalation	25 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	25 mg/m³
Long-term - local effects, inhalation	25 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	3.058 mg/l
PNEC aqua (marine water)	0.306 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	11.36 mg/kg dwt
PNEC sediment (marine water)	1.136 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.47 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	85 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:
Combined eye and respiratory protection

8.2.2.2. Skin protection

Skin and body protection:
Head/neck protection. Corrosion-proof clothing (EN 14605)

Hand protection:
Protective gloves against chemicals (EN 374)

Other skin protection

Materials for protective clothing:
Excellent resistance: Butyl rubber. Less resistance: Natural rubber. Poor resistance: fluor rubber. neoprene (chloroprene rubber). Polyvinylchloride (PVC). Nitrile rubber. Polyethylene. Polyvinylalcohol (PVA)

8.2.2.3. Respiratory protection

Respiratory protection:
Full face mask with filter type A. High vapour/gas concentration: self-contained breathing apparatus (EN 136 + EN 137)

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Colourless.
Appearance	:	Liquid.
Molecular mass	:	60.05 g/mol
Odour	:	Irritating/pungent odour. Vinegar odour.
Odour threshold	:	Not available
Melting point	:	17 °C (1013 hPa)
Freezing point	:	Not available
Boiling point	:	118 °C (1013 hPa)
Flammability	:	Not available
Explosive limits	:	4 – 19.9 vol %
Lower explosion limit	:	4 vol %
Upper explosion limit	:	19.9 vol %
Flash point	:	40 °C
Auto-ignition temperature	:	485 °C
Decomposition temperature	:	No data available in the literature
pH	:	< 2
Viscosity, kinematic	:	1.02 mm²/s (25 °C, Calculated)
Viscosity, dynamic	:	1.056 mPa·s (25 °C)

Solubility	:	Soluble in water. Soluble in ethanol. Soluble in ether. Soluble in acetone. Soluble in tetrachloromethane. Soluble in glycerol. Water: 60 g/100ml (25 °C) Ethanol: complete Ether: complete Acetone: complete
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Partition coefficient n-octanol/water (Log Pow)	:	-0.17 (Experimental value, 25 °C)
Vapour pressure	:	21 hPa (25 °C)
Vapour pressure at 50°C	:	78 hPa (Antoine equation)
Critical pressure	:	45300 hPa
Density	:	1.05 g/ml
Relative density	:	1.04 (25 °C)
Relative vapour density at 20°C	:	2.1
Relative density of saturated gas/air mixture	:	1
Particle characteristics	:	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits	:	4 – 19.9 vol %
Critical temperature	:	322 °C

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1)	:	0.97
Relative evaporation rate (ether=1)	:	11
Specific conductivity	:	500000 pS/m (0 °C)
VOC content	:	100 %
Other properties	:	Gas/vapour heavier than air at 20°C,Clear,Hygroscopic,Volatile,Acid reaction

SECTION 10: Stability and reactivity

10.1. Reactivity

Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts violently with (some) bases.

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Reacts on exposure to water (moisture) with (some) metals: release of highly flammable gases/vapours (hydrogen).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Acetic acid glacial 99-100% a.r. (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 6 day(s))
LC50 Inhalation - Rat	11.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value, Inhalation (vapours), 14 day(s))

Skin corrosion/irritation : Causes severe skin burns.
pH: < 2

Serious eye damage/irritation : Causes serious eye damage.
pH: < 2

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Acetic acid glacial 99-100% a.r. (64-19-7)	
Viscosity, kinematic	1.02 mm²/s (25 °C, Calculated)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Practically non-toxic if swallowed (LD50 oral, rat > 2000 mg/kg),Causes severe skin burns,Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008.

Ecology - air : Not included in the list of substances which may contribute to the greenhouse effect (IPCC). Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014). No photodegradation in the air. Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Not harmful to crustacea (Daphnia). Not harmful to fishes. Groundwater pollutant. Not harmful to algae. Not harmful to bacteria. pH shift.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Not rapidly degradable

Acetic acid glacial 99-100% a.r. (64-19-7)	
LC50 - Fish [1]	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	> 1000 mg/l (ISO 10253, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Acetic acid glacial 99-100% a.r. (64-19-7)	
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 – 0.74 g O_2/g substance
Chemical oxygen demand (COD)	1.03 g O_2/g substance
ThOD	1.07 g O_2/g substance

12.3. Bioaccumulative potential

Acetic acid glacial 99-100% a.r. (64-19-7)	
BCF - Fish [1]	3.16 (Pisces, Fresh water, QSAR)
Partition coefficient n-octanol/water (Log Pow)	-0.17 (Experimental value, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Acetic acid glacial 99-100% a.r. (64-19-7)	
Surface tension	26 mN/m (30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.062 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming and fruit formation.

12.5. Results of PBT and vPvB assessment

Acetic acid glacial 99-100% a.r. (64-19-7)
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Do not discharge into drains or the environment. Dispose of at authorized waste collection point. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals.

Additional information : Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 2789	UN 2789	UN 2789	UN 2789	UN 2789
14.2. UN proper shipping name				
ACETIC ACID, GLACIAL	acetic acid, glacial	acetic acid, glacial	acetic acid, glacial	acetic acid, glacial
Transport document description				
UN 2789 ACETIC ACID, GLACIAL, 8 (3), II, (D/E)	UN 2789 acetic acid, glacial, 8 (3), II	UN 2789 acetic acid, glacial, 8 (3), II	UN 2789 acetic acid, glacial, 8 (3), II	UN 2789 acetic acid, glacial, 8 (3), II
14.3. Transport hazard class(es)				
8 (3)	8 (3)	8 (3)	8 (3)	8 (3)
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Transport regulations (ADR) : Subject to the provisions
Classification code (ADR) : CF1
Limited quantities (ADR) : 1l
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions (ADR) : TP2
Tank code (ADR) : L4BN
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 83
Orange plates :

Tunnel restriction code (ADR) : D/E

Transport by sea

Transport regulations (IMDG) : Subject to the provisions
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-C

Air transport

Transport regulations (IATA) : Subject to the provisions

Inland waterway transport

Classification code (ADN) : CF1

Carriage permitted (ADN) : T

Rail transport

Transport regulations (RID) : Subject to the provisions

Classification code (RID) : CF1

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

VOC Directive (2004/42)

VOC content : 100 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.